

EVALUATION OF P + 12C CROSS SECTIONS FOR THE ENERGY
RANGE 1. to 150 MeV

M. B. Chadwick and P. G. Young
16 July 1996

This evaluation provides a complete representation of the nuclear data needed for transport, damage, heating, radioactivity, and shielding applications over the incident proton energy range from 1 to 150 MeV.

The evaluation utilizes MF=6, MT=5 to represent all reaction data. Production cross sections and emission spectra are given for emission neutrons, protons, deuterons, alpha particles, gamma rays, and all residual nuclides produced ($A > 5$) in the reaction chains. To summarize, the following ENDF sections are included:

- MF=3 MT= 2 Integral of nuclear plus interference components of the elastic scattering cross section
- MT= 5 Sum of binary (n,n') and (n,x) reactions
- MF=6 MT= 2 Elastic angular distributions given as ratios of the differential nuclear-plus-interference to the integrated value.
- MT= 5 Production cross sections and energy-angle distributions for emission neutrons, protons, deuterons, and alphas; and angle-integrated spectra for gamma rays and residual nuclei that are stable against particle emission

The evaluation is based on nuclear model calculations that have been benchmarked to experimental data, especially for $n + C12$ and $p + C12$ reactions (Ch96a, Ch96b, Ch96c). We use the GNASH code system (Yo92), which utilizes Hauser-Feshbach statistical, preequilibrium and direct-reaction theories. Coupled-channel and spherical optical model calculations are used to obtain particle transmission coefficients for the Hauser-Feshbach calculations, as well as for the elastic neutron angular distributions.

Cross sections and spectra for producing individual residual nuclei are included for reactions that exceed a cross section of approximately 1 nb at any energy. The energy-angle-correlations for all outgoing particles are based on Kalbach systematics (Ka88).

A model was developed to calculate the energy distributions of all recoil nuclei in the GNASH calculations (Ch96b). The recoil energy distributions are represented in the laboratory system in MT=5, MF=6, and are given as isotropic in the lab system. Note that all other data in MT=5, MF=6 are given in the center-of-mass system. This method of representation requires a modification of the original ENDF-6 format.

Preequilibrium corrections were performed in the course of the

GNASH calculations using either Feshbach, Kerman, Koonin (FKK) theory [Ch93d] or the exciton model of Kalbach (Ka77, Ka85). Discrete level data from nuclear data sheets were matched to continuum level densities using the formulation of Ignatyuk (Ig75) and pairing and shell parameters from the Cook (Co67) analysis. Neutron and charged-particle transmission coefficients were obtained from the optical potentials, as discussed below. Gamma-ray transmission coefficients were calculated using the Kopecky-Uhl model (Ko90).

MT=2 elastic scattering data in MF=3 and MF=6 are based on optical model calculations with the SCAT2 code (Be92). We have made use of the "nuclear-plus-interference" option in MF=6, which corresponds to LAW=5, LTP=12, and the appropriate integrated cross section is stored in MF=3. Note that because of the interference effect, the tabulations in both MF=6 and MF=3 can be negative at some energies and angles.

REFERENCES

[Be92]. O.Bersillon, "SCAT2 - A Spherical Optical Model Code," in Proc. ICTP Workshop on Computation and Analysis of Nuclear Data Relevant to Nuclear Energy and Safety, 10 February-13 March, 1992, Trieste, Italy, [published in World Scientific Press, 1993]; see also progress report of the Nuclear Physics Division, Bruyeres-le-Chatel 1977, CEA-N-2037, p.111 (1978).

[Ch96a]. M. B. Chadwick and P. G. Young, "Proton Nuclear Interactions Up to 250 MeV for Radiation Transport Simulations of Particle Therapy," Proc. Int. Particle Therapy Meeting and PTCOG XXIV, April 24-26, 1996, Detroit, Mich. [Proc. to be published in Journal of Endocurie Therapy / Hypothermia Oncology].

[Ch96b]. M. B. Chadwick, P. G. Young, R. E. MacFarlane, and A. J. Koning, "High-Energy Nuclear Data Libraries for Accelerator-Driven Technologies: Calculational Method for Heavy Recoils," Proc. of 2nd Int. Conf. on Accelerator Driven Transmutation Technology and Applications, Kalmar, Sweden, 3-7 June 1996.

[Ch96c]. M.B. Chadwick, H.B. Blann, L.J. Cox, P.G. Young, and A. Meigooni, "Calculation and Evaluation of Cross Sections and Kerma Factors for Neutrons up to 100 MeV on Carbon," Nucl. Sci. Engr. 123, 17 (1996).

[Ch93d]. M.B. Chadwick and P G. Young, "Feshbach-Kerman-Koonin Analysis of 93Nb Reactions: P --> Q Transitions and Reduced Importance of Multistep Compound Emission," Phys. Rev. C 47, 2255 (1993).

[Co67]. J.L. Cook, H. Ferguson, and A.R. Musgrove, "Nuclear Level Densities in Intermediate and Heavy Nuclei," Aust.J.Phys. 20, 477 (1967).

[Fu90]. C.Y. Fu, E.J. Axton, and F.G. Perey, "Evaluated Cross Sections for Neutron Scattering from Natural Carbon Below 2 MeV Including R-Matrix Fits to C-13 Resonances," Nucl. Sci. Eng. 106, 494 (1990); E.J. Axton, NISTIR 4838 (ENDF-353), 1992.

[Ig75]. A.V. Ignatyuk, G.N. Smirenkin, and A.S. Tishin,
"Phenomenological Description of the Energy Dependence of the
Level Density Parameter," Sov. J. Nucl. Phys. 21, 255 (1975).

[Ka77]. C. Kalbach, "The Griffin Model, Complex Particles and
Direct Nuclear Reactions," Z.Phys.A 283, 401 (1977).

[Ka85]. C. Kalbach, "PRECO-D2: Program for Calculating
Preequilibrium and Direct Reaction Double Differential Cross
Sections," Los Alamos National Laboratory report LA-10248-MS
(1985).

[Ka88]. C. Kalbach, "Systematics of Continuum Angular
Distributions: Extensions to Higher Energies," Phys.Rev.C 37,
2350 (1988); see also C. Kalbach and F. M. Mann, "Phenomenology
of Continuum Angular Distributions. I. Systematics and
Parameterization," Phys.Rev.C 23, 112 (1981).

[Ko90]. J. Kopecky and M. Uhl, "Test of Gamma-Ray Strength
Functions in Nuclear Reaction Model Calculations," Phys.Rev.C
42, 1941 (1990).

[Yo92]. P.G. Young, E.D. Arthur, and M.B. Chadwick,
"Comprehensive Nuclear Model Calculations: Introduction to the
Theory and Use of the GNASH Code," LA-12343-MS (1992).

6012 = TARGET 1000Z+A (if A=0 then elemental)

1001 = PROJECTILE 1000Z+A

Nonelastic, elastic, and Production cross sections for A<5 ejectiles in barns:

| Energy | nonelas | elastic | neutron | proton | deuteron | triton | helium3 | alpha | gamma |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 5.000E+00 | 7.557E-02 | 0.000E+00 | 0.000E+00 | 7.557E-02 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 7.556E-02 |
| 6.000E+00 | 1.450E-01 | 0.000E+00 | 0.000E+00 | 1.450E-01 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 1.450E-01 |
| 7.000E+00 | 1.960E-01 | 0.000E+00 | 0.000E+00 | 1.960E-01 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 1.960E-01 |
| 8.000E+00 | 2.560E-01 | 0.000E+00 | 0.000E+00 | 2.560E-01 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 2.560E-01 |
| 9.000E+00 | 2.920E-01 | 0.000E+00 | 0.000E+00 | 2.920E-01 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 2.237E-01 |
| 1.000E+01 | 3.100E-01 | 0.000E+00 | 0.000E+00 | 3.100E-01 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 2.871E-01 | 2.354E-01 |
| 1.100E+01 | 3.324E-01 | 0.000E+00 | 0.000E+00 | 3.324E-01 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 5.020E-01 | 2.092E-01 |
| 1.200E+01 | 3.448E-01 | 0.000E+00 | 0.000E+00 | 3.448E-01 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 6.326E-01 | 1.864E-01 |
| 1.300E+01 | 3.572E-01 | 0.000E+00 | 0.000E+00 | 3.570E-01 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 7.319E-01 | 1.660E-01 |
| 1.400E+01 | 3.696E-01 | 0.000E+00 | 0.000E+00 | 3.691E-01 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 8.047E-01 | 1.449E-01 |
| 1.500E+01 | 3.820E-01 | 0.000E+00 | 0.000E+00 | 3.812E-01 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 8.364E-01 | 1.320E-01 |
| 1.600E+01 | 3.959E-01 | 0.000E+00 | 0.000E+00 | 3.951E-01 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 1.015E+00 | 1.048E-01 |
| 1.700E+01 | 4.109E-01 | 0.000E+00 | 0.000E+00 | 4.101E-01 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 1.128E+00 | 9.254E-02 |
| 1.800E+01 | 4.246E-01 | 0.000E+00 | 0.000E+00 | 4.240E-01 | 5.783E-05 | 0.000E+00 | 0.000E+00 | 9.779E-01 | 8.977E-02 |
| 1.900E+01 | 4.357E-01 | 0.000E+00 | 0.000E+00 | 4.356E-01 | 4.274E-04 | 0.000E+00 | 0.000E+00 | 9.996E-01 | 8.959E-02 |
| 2.000E+01 | 4.410E-01 | 0.000E+00 | 8.509E-09 | 4.412E-01 | 2.159E-03 | 0.000E+00 | 0.000E+00 | 1.010E+00 | 8.844E-02 |
| 2.300E+01 | 4.340E-01 | 0.000E+00 | 3.761E-03 | 4.292E-01 | 1.571E-02 | 0.000E+00 | 0.000E+00 | 9.618E-01 | 8.387E-02 |
| 2.700E+01 | 4.149E-01 | 0.000E+00 | 2.262E-02 | 4.084E-01 | 3.055E-02 | 0.000E+00 | 0.000E+00 | 8.320E-01 | 9.474E-02 |
| 3.000E+01 | 4.006E-01 | 0.000E+00 | 3.572E-02 | 3.904E-01 | 4.167E-02 | 0.000E+00 | 0.000E+00 | 7.238E-01 | 1.145E-01 |
| 3.500E+01 | 3.785E-01 | 0.000E+00 | 5.628E-02 | 3.718E-01 | 5.143E-02 | 0.000E+00 | 0.000E+00 | 5.956E-01 | 1.300E-01 |
| 4.000E+01 | 3.630E-01 | 0.000E+00 | 7.443E-02 | 3.635E-01 | 5.760E-02 | 0.000E+00 | 0.000E+00 | 5.098E-01 | 1.350E-01 |
| 5.000E+01 | 3.340E-01 | 0.000E+00 | 9.890E-02 | 3.525E-01 | 6.744E-02 | 0.000E+00 | 0.000E+00 | 4.014E-01 | 1.340E-01 |
| 6.000E+01 | 3.060E-01 | 0.000E+00 | 1.185E-01 | 3.514E-01 | 7.338E-02 | 0.000E+00 | 0.000E+00 | 3.387E-01 | 1.223E-01 |
| 7.000E+01 | 2.810E-01 | 0.000E+00 | 1.328E-01 | 3.469E-01 | 8.045E-02 | 0.000E+00 | 0.000E+00 | 3.000E-01 | 1.081E-01 |
| 8.000E+01 | 2.560E-01 | 0.000E+00 | 1.437E-01 | 3.400E-01 | 8.187E-02 | 0.000E+00 | 0.000E+00 | 2.704E-01 | 9.459E-02 |
| 9.000E+01 | 2.366E-01 | 0.000E+00 | 1.517E-01 | 3.326E-01 | 8.385E-02 | 0.000E+00 | 0.000E+00 | 2.477E-01 | 8.329E-02 |
| 1.000E+02 | 2.270E-01 | 0.000E+00 | 1.633E-01 | 3.371E-01 | 8.589E-02 | 0.000E+00 | 0.000E+00 | 2.369E-01 | 7.704E-02 |
| 1.100E+02 | 2.230E-01 | 0.000E+00 | 1.747E-01 | 3.451E-01 | 8.815E-02 | 0.000E+00 | 0.000E+00 | 2.288E-01 | 7.416E-02 |
| 1.200E+02 | 2.220E-01 | 0.000E+00 | 1.858E-01 | 3.546E-01 | 9.283E-02 | 0.000E+00 | 0.000E+00 | 2.253E-01 | 7.127E-02 |
| 1.300E+02 | 2.234E-01 | 0.000E+00 | 1.995E-01 | 3.696E-01 | 9.614E-02 | 0.000E+00 | 0.000E+00 | 2.266E-01 | 7.051E-02 |
| 1.400E+02 | 2.240E-01 | 0.000E+00 | 2.112E-01 | 3.811E-01 | 9.714E-02 | 0.000E+00 | 0.000E+00 | 2.254E-01 | 7.001E-02 |
| 1.500E+02 | 2.224E-01 | 0.000E+00 | 2.182E-01 | 3.866E-01 | 9.691E-02 | 0.000E+00 | 0.000E+00 | 2.238E-01 | 6.889E-02 |


6012 = TARGET 1000Z+A (if A=0 then elemental)

1001 = PROJECTILE 1000Z+A






Aver. lab emission energies for A<5 ejectiles in MeV:

| Energy | neutron | proton | deuteron | triton | helium3 | alpha | gamma |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 5.000E+00 | 0.000E+00 | 2.033E-01 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 4.500E+00 | |
| 6.000E+00 | 0.000E+00 | 9.586E-01 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 4.500E+00 | |
| 7.000E+00 | 0.000E+00 | 1.887E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 4.500E+00 | |
| 8.000E+00 | 0.000E+00 | 2.816E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 4.500E+00 | |
| 9.000E+00 | 0.000E+00 | 2.937E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 3.460E-01 | 4.500E+00 |
| 1.000E+01 | 0.000E+00 | 3.718E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 3.719E-01 | 4.500E+00 |
| 1.100E+01 | 0.000E+00 | 4.145E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 4.700E-01 | 4.500E+00 |
| 1.200E+01 | 0.000E+00 | 4.842E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 5.586E-01 | 4.500E+00 |
| 1.300E+01 | 0.000E+00 | 5.025E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 7.053E-01 | 4.500E+00 |
| 1.400E+01 | 0.000E+00 | 5.301E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 8.664E-01 | 4.495E+00 |
| 1.500E+01 | 0.000E+00 | 5.672E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 1.035E+00 | 4.483E+00 |
| 1.600E+01 | 0.000E+00 | 5.624E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 1.205E+00 | 4.465E+00 |
| 1.700E+01 | 0.000E+00 | 5.933E+00 | 0.000E+00 | 0.000E+00 | 0.000E+00 | 1.355E+00 | 4.452E+00 |
| 1.800E+01 | 0.000E+00 | 6.344E+00 | 3.747E-01 | 0.000E+00 | 0.000E+00 | 1.497E+00 | 4.453E+00 |
| 1.900E+01 | 0.000E+00 | 6.728E+00 | 1.074E+00 | 0.000E+00 | 0.000E+00 | 1.647E+00 | 4.449E+00 |
| 2.000E+01 | 2.931E-01 | 7.117E+00 | 1.931E+00 | 0.000E+00 | 0.000E+00 | 1.812E+00 | 4.451E+00 |
| 2.300E+01 | 1.668E+00 | 8.335E+00 | 2.991E+00 | 0.000E+00 | 0.000E+00 | 2.285E+00 | 4.175E+00 |
| 2.700E+01 | 3.133E+00 | 9.524E+00 | 5.496E+00 | 0.000E+00 | 0.000E+00 | 2.765E+00 | 4.022E+00 |
| 3.000E+01 | 4.250E+01 | 1.064E+01 | 6.997E+00 | 0.000E+00 | 0.000E+00 | 3.076E+00 | 4.107E+00 |
| 3.500E+01 | 5.856E+00 | 1.247E+01 | 9.686E+00 | 0.000E+00 | 0.000E+00 | 3.445E+00 | 4.120E+00 |
| 4.000E+01 | 7.491E+00 | 1.403E+01 | 1.229E+01 | 0.000E+00 | 0.000E+00 | 3.818E+00 | 3.948E+00 |
| 5.000E+01 | 1.035E+01 | 1.707E+01 | 1.734E+01 | 0.000E+00 | 0.000E+00 | 4.422E+00 | 3.764E+00 |
| 6.000E+01 | 1.282E+01 | 1.936E+01 | 2.039E+01 | 0.000E+00 | 0.000E+00 | 4.930E+00 | 3.611E+00 |
| 7.000E+01 | 1.516E+01 | 2.150E+01 | 2.295E+01 | 0.000E+00 | 0.000E+00 | 5.390E+00 | 3.537E+00 |
| 8.000E+01 | 1.721E+01 | 2.349E+01 | 2.502E+01 | 0.000E+00 | 0.000E+00 | 5.827E+00 | 3.488E+00 |
| 9.000E+01 | 1.928E+01 | 2.529E+01 | 2.764E+01 | 0.000E+00 | 0.000E+00 | 6.250E+00 | 3.470E+00 |
| 1.000E+02 | 2.125E+01 | 2.712E+01 | 2.971E+01 | 0.000E+00 | 0.000E+00 | 6.664E+00 | 3.450E+00 |
| 1.100E+02 | 2.325E+01 | 2.926E+01 | 3.214E+01 | 0.000E+00 | 0.000E+00 | 7.139E+00 | 3.408E+00 |
| 1.200E+02 | 2.517E+01 | 3.136E+01 | 3.520E+01 | 0.000E+00 | 0.000E+00 | 7.494E+00 | 3.462E+00 |
| 1.300E+02 | 2.715E+01 | 3.357E+01 | 3.704E+01 | 0.000E+00 | 0.000E+00 | 7.873E+00 | 3.514E+00 |
| 1.400E+02 | 2.920E+01 | 3.580E+01 | 3.894E+01 | 0.000E+00 | 0.000E+00 | 8.185E+00 | 3.588E+00 |
| 1.500E+02 | 3.116E+01 | 3.826E+01 | 4.069E+01 | 0.000E+00 | 0.000E+00 | 8.437E+00 | 3.696E+00 |





$p + {}^{12}\text{C}$ nonelastic and production cross sections




$p + {}^{12}\text{C}$ angle-integrated emission spectra




$p + {}^{12}\text{C}$ Kalbach preequilibrium ratios



6-C-12 APT LA150 NJOY 97.45X MCNPX
angular distribution for elastic



6-C-12 APT LA150 NJOY 97.45X MCNPX
angular distribution for elastic



6-C-12 APT LA150 NJOY 97.45X MCNPX
Heating

