



1-H-1 IN H2O AT 293.6K FROM ENDF/B-IV CONTINUOUS

Thermal cross sections




1-H-1 IN H2O AT 293.6K FROM ENDF/B-IV CONTINUOUS


Thermal mubar




1-H-1 IN H2O AT 293.6K FROM ENDF/B-IV CONTINUOUS
Thermal ebar




1-H-1 IN H2O AT 293.6K FROM ENDF/B-IV CONTINUOUS
thermal inelastic




1-H-1 IN H2O AT 293.6K FROM ENDF/B-IV CONTINUOUS
thermal inelastic




1-H-1 IN H2O AT 293.6K FROM ENDF/B-IV CONTINUOUS
thermal inelastic




1-H-1 IN H2O AT 293.6K FROM ENDF/B-IV CONTINUOUS
thermal inelastic




1-H-1 IN H2O AT 293.6K FROM ENDF/B-IV CONTINUOUS
thermal inelastic for $e = 1.012 \times 10^{-9}$ MeV




1-H-1 IN H2O AT 293.6K FROM ENDF/B-IV CONTINUOUS
thermal inelastic for $e = 1.619 \times 10^{-8}$ MeV



1-H-1 IN H2O AT 293.6K FROM ENDF/B-IV CONTINUOUS
thermal inelastic for $e = 1.200\text{E-}07$ MeV



1-H-1 IN H2O AT 293.6K FROM ENDF/B-IV CONTINUOUS
thermal inelastic for $e = 9.500\text{E-}07$ MeV



1-H-1 IN H2O AT 293.6K FROM ENDF/B-IV CONTINUOUS
thermal inelastic for $e = 8.400\text{E-}06$ MeV

